TOP SECRET Approved For Release 2004/10/27 of CIA-RDP80M00772A000400020016-8

| | • | | | Washington, D.C. 20505 | |
|------|---|--|--------------------------------------|---|------|
| | | Intelligence Community | Staff | 2 2 AUG 1978 | |
| | • | MEMORANDUM FOR: | | James H. Taylor Comptroller | |
| 25X1 | ٠ | FROM: | Dep | uty to the DCI for Resource Management | |
| | | SUBJECT: | CAM | S Upgrade Report for the SSCI | |
| | - | to us on 19 Sept Committee's requ | embe irem | oked at the subject report which you made available r. In general, the report appears to meet the ent for additional and detailed information about ore FY 1979 funds for this purpose can be obligated. | |
| | | a couple of poin the document dat of the upgrades | ts. ed 1 and | the report would be greatly strengthened by clarifying Two of these involve reconciling statements made in 1 September 1978 which provide a general description statements made in the more detailed description of ocument dated 14 July 1978. Specifically: | |
| | | ment is mad of data in systems. A about this | e th the s yo at t | ge 3 of the 11 September 1978 document, the state- at efforts have been made to preclude incorporation CAMS upgrade which are already contained in other u know, Mr. Childs of the SSCI Staff was concerned he August briefing. | 25X1 |
| 25X1 | | its availab dated 14 Ju | ilit ly l | fied as being precluded from the upgrade because of y elsewhere. On Page 15 of the CAMS Upgrade Plan, 978, reference is made to an on-line graphics capability de COMIREX with capabilities such as "operational | |
| 25X1 | | planning The role of access to b | oth | needs clarification. The reader with documents is first led to believe the upgrade would h information, then to believe it would. | 25X1 |
| | | COMIREX sta The stateme September d preparation for e user needs. | ted nt o locum and ensur | eference to an "operational planning capability" for in Page 15 of the 14 July document should be clarified. If COMIREX responsibilities made on Page 3 of the 11 ent states that COMIREX is responsible for "formal coordination of the requirements for CAMS (and) ing that requirements accurately reflect justified ow the latter relates to operational planning should r the reference to operational planning deleted. | |
| | | tu. | | | 25X1 |
| 25X1 | | | | | |

25

IUF SEUME!

| I l | nope y fore t | ou wil | l find | these | comme | nts he | elpfu | 1. | You | may w | ish to | resol | ve them | |
|-----|------------------|--------|--------|---------|-------|--------|-------|-----|-----|--------|--------|-------|---------|--|
| | | | | TOT WAT | ued (| o the | DCI | for | app | roval. | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | L | | | | | |
| | | | | | | | | | | | | | | |
| | • | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | • | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| × 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | , | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Approved For Release 2004/10/27

25X1

IUT SEUMEI

Approved For Release 2004/10/27: CIA-RDP80M00772A000400020016-8

SUBJECT: CAMS Upgrade Report for the SSCI

25X1

Distribution:

Copy #1-Addressee (Mr. Taylor)

#2-D/DCI/RM

#3-D/PBO

#4-D/IRO

#5-D/CLLO

#6-A-D/PGO

#7-A-D/PAO

#8-IC Registry

#9-PBO (Kline)

#10-PBO (Conde)

#11-PBO Subject

#12-PBO Chrono

25X1

DCI/RM/PBO: -9/21/78) (retyped 9/22/78)